Publication | 01.02.2008

Waste and climate change

Municipal waste management to be improved to reduce GHG emissions

The EEA briefing projects a significant decrease by 2020 in net greenhouse gas emissions from municipal waste, with a reduction of more than 80 % (down to 10 million tones) compared to the late 1980s.

Municipal waste, however, is set to grow by 25 % from 2005 to 2020. The EEA therefore warns that increasing waste amounts could lead to saturation and increase GHG emissions due to inefficient management. As such, keeping municipal waste to the minimum remains the preferred action for reinforcing past and future improvements in waste treatment. Restricting waste volumes delivers both immediate and long-term benefits to citizens, including reduced air pollution (with particles and nitrogen oxides) and less noise from collection and transport.

In 2005 emissions from waste management represented 2 % of EU's total GHG output. Methane, one of the six greenhouse gases controlled by the Kyoto protocol, is mostly generated by landfill operations in the waste sector.

European Environment Agency

Recommended

Publication

<u>en</u>



Heads of national delegations in the GREENS/EFA Group

11.03.2025

Publication

European Union



Statement on Cristina Guarda's participation to EC Hea...

04.11.2024

Publication

Social media icons / CC0 mariia-shalabaieva



Call for offers - Media monitoring, social listening a...

15.10.2024

Publication



One year after the 7th of October attacks

07.10.2024

Please share

<u>₀E-Mail</u>